



VCXO Part Numbering System

VC ↓ Internal Code	6	1	C	100	27.0000	N	N	L
Package	Circuit	Temperature Stability	Pullability	Nominal Frequency[in MHz]	Operation temperature Range	Output Symetry	Option (Can be Blank)	
6=Full Size 8=Half Size 9=PCB S=SMD 5 X 7 P=Plastic	1=5V Fund 2=5V PLL 3=3.3V Fund 4=3.3V PLL 5=PECL 6=ECL	A=±15ppm B=±20ppm C=±25ppm D=±30ppm E=±50ppm	050=±50ppm 100=±100ppm 150=±150ppm 200=±200ppm	Please enter the nominal frequency (7 digitals include the decimal)	N=0 to +70°C W=-40 to +85°C M=-10 to +70°C S=Others	N=40/60% T=45/55%	L= Cut Lead G= Gull Wing X=Special F=Lead Free	

North American Sales & Distribution	 <p>Spectrum Component Sales, Inc.</p>
	<p>105 Hill Street, Suite 2D • Norcross, GA 30071 USA TEL: 678-990-1754 • TOLL FREE: 888-977-3287 • FAX: 678-990-1758 WEB: www.scsiglobal.com • EMAIL: sales@scsiglobal.com</p>

TAIWAN:

HOSONIC ELECTRONIC CO., LTD.
 23-1 LANE 84. CHUN YING ST. SHULIN CHEN.
 TAIPEI 23804. TAIWAN
 WEB SITE:<http://www.hosonic.com.tw>

☎: 886-2-86875200
 📠: 886-2-26816456
 ✉: david@hosonic.com.tw

CHINA:

HANGZHOU HOSONIC ELECTRONIC CO., LTD.
 NO.242 LIANGBO ROAD. LIANGZHU TOWN.
 YUHANG DISTRICT, HANGZHOU, ZHEJIANG, CHINA
 WEB SITE:<http://www.hosonic.com.cn>

☎: (86)-571-88778189
 📠: (86)-571-88778857
 ✉: market@hosonic.com.cn